

## **Questions & Answers**

Call for proposals 2025 HORIZON-ER-JU-2025-01

Date of publication: 21/03/2025

Document history		
Revision	Date	Description
1	21/03/2025	First publication: 1-3

Q Regarding the call HORIZON-ER1 JU-2025-FA7-01: Further
Technological Development of
Maglev-derived Systems, I have a
question to ask. Can companies
with public and state participation
apply? Are there any constraints
in the formation of the
consortium?

We confirm that in accordance with the <u>Europe's Rail Work Programme 2025-2026</u> and the call conditions (section 2.3.8 - Type of call: Open), the EU-Rail's call for proposals 2025-01 is open to all eligible entities according to Horizon Europe rules for participation. There are no other eligibility restrictions apart from those laid down in <u>Horizon Europe Work Programme General Annex B.</u>

An eligible consortium must include as beneficiaries at least three legal entities independent from each other and each established in a different country as follows:

- at least one independent legal entity established in a Member State; and
- at least two other independent legal entities, each established in different Member States or Associated Countries.

As affiliated entities do not sign the grant agreement, they do not count towards the minimum eligibility criteria for consortium composition (if any).

Please also note that for public bodies to be eligible, they must have a gender equality plan, following the



		requirements specified in the above indicated General Annex B.		
Q 2	Which is the page limit for the HORIZON-ER-JU-2025-FA7-01 call?	Please note that for the Innovation Action (IA) foreseen in this call the limit is 120 pages, as indicated in the call text and on the Participant's Portal.		
		In the Europe's Rail Work Programme 2025-2026 - Annex VI — Call(s) for proposals 2025-1, Specific Conditions section (p. 145) it was wrongly indicated 70 pages.		
Q 3	Can you please explain what the call text meant under "Based on the outcome of WS1 and from the testing, the technical and economical variability of the system shall be analysed."?	Please note that there is a typing mistake, the sentence should be read as follows: "Based on the outcome of WS1 and from the testing, the technical and economical viability of the system shall be analysed."		